

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24012

Stream : Spring Mill Run

Applicant : Laurel Ridge LLC  
Jeffrey Cohen  
210 East 91st Street, Suite A  
Indianapolis, IN 46240-1570

Description : A 6' wide x 40' long steel clear-span pedestrian bridge is to be constructed adjacent to Ditch Road. The bridge deck will be formed of wood planks. Safety rails will be constructed on each side to a height of 4'-6.5" above the bridge deck. The overbanks will be cut back to accommodate the asphalt approach path. Details of the project are contained in information and plans received at the Division of Water on September 21, 2006.

Location : Just downstream of the Ditch Road stream crossing  
near Carmel, Clay Township, Hamilton County  
SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 10, T 17N, R 3E, Carmel Quadrangle  
Quad Code: 3908682  
UTM Coordinates: Downstream 4421215 North, 569718 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24013

Stream : Sand Creek

Applicant : Town of Fishers  
Jeff Heiking  
One Municipal Drive  
Fishers, IN 46038-1574

Description : The proposed project is to construct a new single-span truss bridge to carry pedestrian traffic over Sand Creek. The proposed bridge will have the same deck and low chord elevations as the East 121st stream crossing immediately downstream of the project site. Details of the project are contained in information and plans received at the Division of Water on September 22, 2006.

Location : Just upstream of the East 121st stream crossing  
near Fishers, Fall Creek Township, Hamilton County  
SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 32, T 18N, R 5E, McCordsville Quadrangle  
Quad Code: 3908588  
UTM Coordinates: Downstream 4424337 North, 587119 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24014

Stream : North Ramp Creek

Applicant : Mandleco Trust  
James Mandleco  
9123 US Highway 231  
Roachdale, IN 46172-9148

Description : Approximately 300' of Ramp Creek's eroded northwest streambank will be stabilized with broken pieces of concrete in order to halt further erosion. Details of the project are contained in information and plans received at the Division of Water on September 22, 2006 and October 5, 2006.

Location : In the right overbank approximately 150' upstream of the County Road 1000  
North stream crossing extending upstream about 300'  
near Fincastle, Franklin Township, Putnam County  
SW¼, SE¼, SW¼, Section 20, T 16N, R 4W, Russellville Quadrangle  
Quad Code: 3908678  
UTM Coordinates: Downstream 4406470 North, 510105 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24015

Stream : Greens Fork

Applicant : Wayne County Board of Commissioners  
Thomas A Dickman  
401 East Main Street  
Richmond, IN 47374-4237

Description : Approximately 125' of Greens Fork's eroded streambank was stabilized with rip-rap over geotextile fabric to protect the bank from further erosion. The rip-rap is keyed into the streambed at its base and conforms to the existing bank at the project limits. Details of the project are contained in information and plans received at the Division of Water on September 22, 2006.

Location : Along Washington Road beginning approximately 680' downstream of the  
Pennsylvania Railroad and continuing southwest for approximately 125'  
at Greens Fork, Clay Township, Wayne County  
SE¼, SE¼, SW¼, Section 26, T 17N, R 13E, Greens Fork Quadrangle  
Quad Code: 3908581  
UTM Coordinates: Downstream 4417234 North, 667124 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24017

Stream : Little Cool Creek

Applicant : Drees Premier Homes  
John Talbot  
6650 Telecom Drive  
Suite 200  
Indianapolis, IN 46278-2016

Description : A new residential development is proposed. Floodway activities associated with this development include construction of an 8" gravity PVC sanitary sewer line buried 3' below the flow line of the creek and 250' of a 10" ductile iron waterline buried 4.5' below the flow line of the creek. A 10' wide paved pedestrian trail measuring 265' will be constructed at grade and 250' of pavement will be widened on 136th Street (Smokey Row Road). A 75' long wood handrail will be constructed between the pedestrian trail and concrete headwall for pedestrian protection and 80' of rip-rap lining will be placed between the asphalt path and stream section to prevent erosion of the banks. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on September 26, 2006.

Location : Beginning at the West 136th Street and Monon Trail intersection and extending approximately 530' south and 420' west  
near Carmel, Clay Township, Hamilton County  
NW¼, NE¼, NE¼, Section 25, T 18N, R 3E, Carmel Quadrangle  
Quad Code: 3908682  
UTM Coordinates: Downstream 4426500 North, 574130 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24018

Stream : Stucker Ditch

Applicant : Scott County Board of Commissioners  
Mark Hays  
One East McClain Avenue  
Suite 130  
Scottsburg, IN 47170-1852

Description : The project involves the clearing of logjams, debris, brush, fallen trees, and the cutting of some trees along the bank for access to the logjams. All stumps will remain. The project includes clearing approximately 5400 feet of the ditch. All materials removed will be burned on site or near the site and the ashes spread or buried at or near the burn site. No dredging or placement of fill within the channel will occur. Work will be done with a long reach excavator track excavators dozer or log skidder with a winch boat backhoe dump truck and chain saws. Bank revegetation will occur where necessary. In order to prevent a reoccurrence of the logjam, this permit is requesting approval to remove trees leaning over the channel and dead trees along the banks on an as needed basis to minimize future logjams. Details of the project are contained in information and plans received at the Division of Water on September 27, 2006.

Location : Along the bank of Stucker Ditch beginning at the intersection of Stucker Ditch and Boatman Road and continuing west along the channel for 5400 feet to the intersection with Thomastown Road  
DOWNSTREAM: near Scottsburg, Finley Township, Scott County  
SE $\frac{1}{4}$ , NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 3, T 3N, R 6E, Scottsburg Quadrangle  
Quad Code: 3808567  
UTM Coordinates: Downstream 4287100 North, 601389 East  
UPSTREAM: Section 2, T 3N, R 6E  
  
UTM Coordinates: Upstream 4287057 North, 603140 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24020

Stream : Yellow Creek

Applicant : \*Indiana Department of Transportation  
Richard L Phillabaum  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : The existing concrete and steel beam superstructure will be replaced with a composite prestressed concrete spread box beam superstructure on the same alignment, but with two additional lanes. The new structure will have a span length of 73.55', an out-to-out length of 91.33', and a clear roadway width of 78.0'. The abutments will be reconstructed and widened. Riprap over geotextile fabric will be placed around the abutments. In addition, the approach roads will be raised a maximum of 0.12' above the existing grade. This project will also include the excavation of approximately 237 cubic yards of sandy material from a 15' by 147' area of the channel. Details of the project are contained in information and plans received at the Division of Water on September 28, 2006.

Location : At the US 33 crossing  
DOWNSTREAM: near Dunlap, Concord Township, Elkhart County  
SE¼, SW¼, NE¼, Section 22, T 37N, R 5E, Elkhart Quadrangle  
Quad Code: 4108568  
UTM Coordinates: Downstream 4610971 North, 588825 East  
UPSTREAM:  
UTM Coordinates: Upstream 4610971 North, 588825 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24021

Stream : Ox Ditch

Applicant : Scott County Board of Commissioners  
Mark Hays  
One East McClain Avenue  
Suite 130  
Scottsburg, IN 47170-1852

Description : Approximately 3,540' of channel will be cleared of logjams, brush, fallen trees, and debris. Some trees will be cut along the stream bank to allow access to the logjams. All materials removed will be burned on site or near the site and the ashes spread or buried at or near the burn site. There will be no dredging or placement of fill in the channel. The work will be done with a long reach excavator, track excavators, dozer or log skidder with a winch, boat, backhoe, dump truck and chain saws. Details of the project are contained in information and plans received at the Division of Water on September 27, 2006.

Location : Along both banks of the stream beginning at the Thomastown Road stream crossing continuing east along the channel for 3540 feet to the confluence with the Big Ox Creek and Honey Run Creek  
DOWNSTREAM: at Scottsburg, Finley Township, Scott County  
SW¼, NW¼, NE¼, Section 10, T 3N, R 3E, Scottsburg Quadrangle  
Quad Code: 3808567  
UTM Coordinates: Downstream 4286342 North, 600914 East  
UPSTREAM:  
UTM Coordinates: Upstream 4286288 North, 601846 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24022

Stream : Ox Ditch

Applicant : Scott County Board of Commissioners  
Mark Hays  
One East McClain Avenue  
Suite 130  
Scottsburg, IN 47170

Description : Approximately 3,540' of channel will be cleared of logjams, brush, fallen trees, and debris. Some trees will be cut along the stream bank to allow access to the logjams. All materials removed will be burned on site or near the site and the ashes spread or buried at or near the burn site. There will be no dredging or placement of fill in the channel. The work will be done with a long reach excavator, track excavators, dozer or log skidder with a winch, boat, backhoe, dump truck and chain saws. Details of the project are contained in information and plans received at the Division of Water on September 27, 2006.

Location : Along both banks of the stream beginning at the Thomastown Road stream crossing continuing east along the channel for 3540 feet to the confluence with the Big Ox Creek and Honey Run Creek  
DOWNSTREAM: at Scottsburg, Finley Township, Scott County  
SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 10, T 3N, R 3E, Scottsburg Quadrangle  
Quad Code: 3808567  
UTM Coordinates: Downstream 4286342 North, 600914 East  
UPSTREAM:  
UTM Coordinates: Upstream 4286288 North, 601846 East  
DOWNSTREAM:  
UPSTREAM: near Scottsburg, Finley Township, Scott County  
NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 8, T 3N, R 6E, Little York Quadrangle  
Quad Code: 3808568  
UTM Coordinates: Upstream 4286110 North, 597281 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24023

Stream : South Fork Buck Creek

Applicant : Debby A Krebs  
3500 Lakeview Drive Southeast  
Elizabeth, IN 47117-7528

Description : A new bridge will be constructed over the creek for access to a private residence. The structure will have 2 piers and four 22' spans. The structure will extend from bank to bank and will be 12' wide. Details of the project are contained in information and plans received at the Division of Water on September 27, 2006.

Location : Approximately 850' downstream of the Highway 11 stream crossing  
near Elizabeth, Posey Township, Harrison County  
NW¼, NE¼, NE¼, Section 33, T 4S, R 5E, Lanesville, IN-KY Quadrangle  
Quad Code: 3808528  
UTM Coordinates: Downstream 4220010 North, 590920 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24024

Stream : Ohio River

Applicant : Corn Island Shipyard  
Charles Bates  
PO Box 125  
Lamar, IN 47550-0125

Description : A 60' x 150' pre-engineered steel building with a concrete floor will be constructed at grade. Details of the project are contained in information and plans received at the Division of Water on September 29, 2006.

Location : Along the north (right) overbank, approximately 4,700' downstream of the  
confluence of Crooked Creek  
near Maxville, Huff Township, Spencer County  
NW¼, NE¼, NW¼, Section 21, T 6S, R 4W, Tell City, IN-KY Quadrangle  
Quad Code: 3708687  
UTM Coordinates: Downstream 4204070 North, 512045 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24025

Stream : Vincennes Run

Applicant : City of New Albany  
James E Garner  
City County Building  
Room 316  
New Albany, IN 47150

Description : A 15" to 21" diameter sewer line will be placed beneath Vincennes Run to provide additional capacity for future development. The line will be placed by the trench method. It will have 3' of cover beneath the streambed and 3' in the banks. The line will have a 4" to 6" concrete encasement for the section below the streambed. Details of the project are contained in information and plans received at the Division of Water on September 29, 2006.

Location : At the Eagle Lane stream crossing  
at New Albany, New Albany Township, Floyd County  
SE¼, NE¼, NW¼, Section 4, T 3S, R 6E, New Albany, IN-KY Quadrangle  
Quad Code: 3808537  
UTM Coordinates: Downstream 4267850 North, 600150 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24026

Stream : Potato Creek

Applicant : Potato Creek Crossing Development, LLC  
Troy E Hanyzewski  
26258 Stanton Road  
Walkerton, IN 46574-8700

Description : A single-span prefabricated reinforced concrete bridge will be constructed. The bridge have a 2' thick deck and wing walls and a 50' span length. Timber matting, gravel and/or mesh may be placed on the bank to accomodate equipment. This project will also include the installation of water and sanitary sewer lines approximately 400' downstream from the proposed bridge using the directional bore method. Details of the project are contained in information and plans received at the Division of Water on September 29, 2006.

Location : Approximately 1400' upstream (northeast) of the State Road 23 crossing, extending 400' upstream (northeast)  
DOWNSTREAM: near North Liberty, Liberty Township, St. Joseph County  
SW¼, SE¼, NW¼, Section 28, T 36N, R 1E, North Liberty Quadrangle  
Quad Code: 4108654  
UTM Coordinates: Downstream 4599147 North, 548186 East  
UPSTREAM:  
UTM Coordinates: Upstream 4599314 North, 548409 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24029

Stream : Beulah Run

Applicant : William Gaither  
Randy Sigler  
PO Box 737  
Alexandria, IN 46001-0737

Description : The proposed project is to dredge material from Alexandria Creek and Beulah Run to slow erosion. The banks will be elevated with dredged spoil, lined with riprap and erosion control blankets, and shaped to prevent further erosion. The area to be elevated will be raised approximately 1' above existing condition. Disturbed area in the overbanks will be reseeded upon completion. Details of the project are contained in information and plans received at the Division of Water on September 14, 2006.

Location : In both overbanks beginning at the State Road 9 stream crossing extending downstream approximately 1000'  
DOWNSTREAM: near Alexandria, Monroe Township, Madison County  
SE¼, SE¼, SE¼, Section 24, T 21N, R 7E, Alexandria Quadrangle  
Quad Code: 4008536  
UTM Coordinates: Downstream 4456377 North, 612881 East  
UPSTREAM: Anderson North Quadrangle  
Quad Code: 4008526  
UTM Coordinates: Upstream 4456340 North, 612987 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24030

Stream : St. Joseph River

Applicant : Nancy A Hilde  
3938 E. Jackson Blvd.  
Elkhart, IN 46516

Description : An existing, steel seawall will be replaced with a new steel seawall along 135' of the south (left) bank of the river to deter bank erosion. The new wall will be approximately 5' high, as measured from the riverbed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties located to the east and the west. The piling will be driven approximately 7' into the riverbed and will be anchored with deadmen spaced at 12-15' intervals. A steel whaler will be placed across the inside of the wall to further stabilize the structure. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. A replacement of a steel seawall is proposed. Details of the project are contained in information received electronically at the Division of Water on October 8, 2006.

Location : along the left (south) bank, approximately 5400' downstream (southwest) of the confluence with Pine Creek  
near Elkhart, Concord Township, Elkhart County  
NE¼, NW¼, NE¼, Section 2, T 37N, R 5E, Elkhart Quadrangle  
Quad Code: 4108568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20580

Lake : Adams Lake

Applicant : Michael Patterson  
5010 East 580 South  
Wolcottville, IN 46755

Description : An existing concrete seawall will be refaced with a layer of concrete across 80' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on September 20, 2006.

Location : 5010 East 580 South; Lot 2 and west ½ of Lot 1, Fields Addition  
near Wolcottville, Johnson Township, LaGrange County  
SW¼, NW¼, SW¼, Section 24, T 36N, R 10E, Wolcottville Quadrangle  
Quad Code: 4108553  
UTM Coordinates: Downstream 4601975 North, 599450 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20585

Lake : Big Long Lake

Applicant : Richard Schemehorn  
9975 East 645 South  
Wolcottville, IN 46795-8736

Description : A new concrete/field stone seawall will be constructed across 70' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 22, 2006.

Location : 9975 East 645 South; Lot 1 and 2, Tall Timbers Subdivision  
near Wolcottville, Milford Township, LaGrange County  
NE¼, SE¼, NE¼, Section 27, T 36N, R 11E, Stroh Quadrangle  
Quad Code: 4108552  
UTM Coordinates: Downstream 4601400 North, 647325 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : PL-20586
- Lake : Lower Fish Lake
- Applicant : Philip Sanfilippo  
11122 South Saint Louis  
Chicago, IL 60655-3521
- Description : A new sheet piling seawall will be constructed across the applicant's 40' frontage. The lakeward face of the wall will be located along the lake's legal/average normal shoreline. The existing seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on September 22, 2006.
- Location : 121 Lake View Drive, Lot 261 in Southtown Beach Club House Addition  
DOWNSTREAM: near Walkerton, Lincoln Township, LaPorte County  
SE¼, SW¼, SE¼, Section 17, T 36N, R 1W, Stillwell Quadrangle  
Quad Code: 4108655  
UTM Coordinates: Downstream 4601455 North, 537450 East  
UPSTREAM: LaPorte County
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-20590
- Lake : Cree Lake
- Applicant : Paul and Mary Wood  
Paul Wood  
7734 East Cree Lake Drive North  
Kendallville, IN 46755-9725
- Description : A 4' high wire mesh fence has been installed, extending 20' from the shoreline. Details of the project are contained in information and plans received at the Division of Water on September 20, 2006.
- Location : 7734 East Cree Lake Drive North  
near Kendallville, Wayne Township, Noble County  
NW¼, NE¼, NE¼, Section 8, T 35N, R 11E, Wolcottville Quadrangle  
Quad Code: 4108553  
UTM Coordinates: Downstream 4596885 North, 644020 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20593

Lake : Lake Wawasee

Applicant : Richard Pfleger  
11627 N. Ogden Point Road  
Syracuse, IN 46567

Description : An existing poured in place concrete seawall will be refaced across a portion of the 50' of the 50' frontage of the applicant on Lake Wawasee to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 30" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on October 9, 2006.

Location : 11627 North Ogden Point Road; Lot 3 Odgen Island  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20594

Lake : Lake Wawasee

Applicant : Mike Messmer  
11518 N. Sunrise Drive  
Syracuse, IN 46567

Description : An existing poured in place concrete seawall will be refaced across a portion of the 106' of the 106' frontage of the applicant on Lake Wawasee to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 30" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on October 10, 2006.

Location : 11518 and 11524 North Sunrise Drive; Lots 28 and 29, Mason Sunrise Beach Addition  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20598

Lake : Lake Wawasee

Applicant : Art and Ann Garceau  
3139 Lickridge Lane  
Danville, IN 46122-8463

Description : A concrete boat ramp was constructed 50 years ago along 8.5' of the 100' frontage at Lake Wawasee to provide access to the lake from private property. The ramp extends approximately 3' lakeward of, and conforms to the legal shoreline of the lake. An existing seawall will be refaced across a portion of the 50' frontage of the applicant on Lake Wawasee to prevent deterioration. The refacing will consist of 5c stone which will be in front of the existing toe of the wall for protection. The refacing stone will have a maximum thickness of 12" and will be sloped on the lakeward side. Stone will be placed along 41.5' of shoreline to protect the seawall sides to prevent undercutting the seawall edges and to prevent the undercutting of a shoreline mature maple tree. Details of the project are contained in information received electronically at the Division of Water on October 12, 2006.

Location : 11030 North State Road 13  
near Syracuse, Turkey Creek Township, Kosciusko County  
Section 16, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11